



Basic Vehicle & Structural Shoring - OmniLock Set VS-OS1

151.004.156

OmniLock set for vehicle stabilization and basic spot shores. With expansion sets also suitable for lifting and high directionals. The patented OmniLock system allows you to automatically follow and lock a load in both directions.

OmniLock: Full control with less manpower

- No one needs to be near a moving load Monitor and operate the OmniLock struts from a distance
- · Auto-follow has your back OmniLock automatically follows and locks a load in both directions
- · Less people needed Control multiple OmniLock struts simultaneously with the Wireless Controller

Designed to save weight and space on your truck

- One single system for all shoring operations
- Build any application with a system of only six different struts
- Construct lengths up to 17 ft / 5.2 m with only five different struts
- No fixed length extensions needed Each strut also functions as an extension pipe

Quick and easy setup

- Every strut can be connected to every other strut thanks to the patented Trident Coupler
- Each accessory fits on both ends of all the struts
- No accurate measurement needed Two connected struts offer you twice the plunger stroke
- Easy alignment of struts The angle of OmniLock struts is shown on the Wireless Controller

Maximum safety

- Extend or retract an OmniLock strut remotely with instant stepless lock should the primary system fail
- All strut combinations are allowed and safe The patented Trident Coupler only allows you to connect two struts max
- Strongest struts in the market Rigorously tested in multiple setups
- Holmatro developed OmniShore according to the criteria of testing used by FEMA's US&R Structures Sub Group to evaluate similar type shoring

Technical specifications

• Article number: 151.004.156

• Model: VS-OS1

Set components:

• Strut M10: 2x

OmniLock Strut P30OL: 2xOmniLock Strut P40OL: 2x

• Swivel Base BPL10: 2x

• Swivel Base D-ring BPL11A: 2x

Multi Head HPL140: 2x
Chain Adapter HPL110: 2x
Ratchet Belt RBL80: 3x

• Shoring Hammer RS15: 2x

• Chain CWH60: 1x









