

Drop-Down Ladder Rack "Gantry"

100077

The Gantry drop-down ladder rack is mounted onto the roof of the vehicle and is used to conveniently load and unload the ladder without needing to climb on top of the vehicle. The JUST Gantry system can be used for any EN 1147, DIN EN 1147, BS EN 1147 or ÖNORM F4047 standard fire service ladder. It is also compatible with ladders that include a stabiliser bar or supports.

Manufactured from high quality corrosion and UV resistant materials such as stainless steel, aluminium and plastic.

- Roller bearing wheels allow for effortless operation
- Customized gantrys, perfect for carrying hoses, equipment boxes or other rescue equipment are available on request

Technical specifications

Model No.	suitable for
GT-110	Type UK-DE 2-part ladder
GT-120	Type UK-TE 3-part ladder
GT-130	Type FO-600 2-part ladder
GT-140	Type FD-700 3-part ladder
GT-100R	For all other types of ladders

Type GT-100 Gantry (for Ladders without Stabiliser Bar):

- Profile length of 6,3 m
- Suitable for ladders at transport length of up to 6,2 m


GT-110



Type GT-200 Gantry:

- Profile length of 5,9 m
- Suitable for ladders at transport length of up to 6,2 m
- Roller bearing wheels allow for smooth gliding

GT-220



Tip GT-300 Gantry:

- Profile length 3,15 m
 - Suitable for ladders at transport length of up to 3,5 m
-

-
- Roller bearing wheels allow for smooth gliding

GT-320

