

Dual-light Rechargeable Flashlight Nightstick NSR-9944XLDC

Kat. br. 017398803960

This duty/personal-size rechargeable metal multi-function Dual-Light Flashlight uses an LED rated at 650 lumens that works in conjunction with a high-efficiency deep parabolic reflector to create a usable beam rated at 304 meters. A 200 lumens unfocused floodlight is integrated into the housing which is perfect for close-up illumination.

Additionally, both the flashlight (any brightness mode) and the floodlight can be turned on at the same time for maximum safety and versatility. The flashlight body and tail switches provide momentary or constant-on functionality, a set of user-selectable high, medium, or low-brightness settings as well as a disorienting strobe.

Both flashlight switches operate in tandem with each other. The second body switch operates the floodlight. The housing, tail-cap, and bezel are made from aircraft-grade 6061-T6 aluminum with a Type III hard-anodized finish. Power comes from a rechargeable Li-ion battery.

Features:

- LED technology
- Flashlight/Floodlight/Dual-Light™
- Momentary or constant-on plus 3 brightness levels & strobe
- Sharp focused flashlight beam
- High-efficiency deep parabolic reflector
- Effective beam distance of 304 meters (over 990 feet)
- Unfocused wide-beam floodlight for close-up illumination
- Dual-Light (flashlight & floodlight at the same time) for maximum safety & versatility
- Aircraft-grade 6061-T6 aluminum housing, tail-cap and bezel w/Type III hard anodized finish
- Non-slip grip
- Flashlight/strobe – body & tail switch (tandem operation)
- Floodlight – second body switch
- Waterproof
- Impact & chemical resistant
- Serialized for personal identification
- Powered by Lithium-ion rechargeable battery (included)

Technical specifications

- Multi-Function: Yes
- High Lumens: 650
- Medium Lumens: 300
- Low Lumens: 150
- Floodlight Lumens: 200

-
- High DL Lumens: 400
 - High Beam Distance (m): 304
 - Medium Beam Distance (m): 212
 - Low Beam Distance (m): 115
 - High Candela: 23,142
 - Medium Candela: 11,302
 - Low Candela: 6,028
 - Drop Rating: 2 m
 - Water Rating: IP-X7 Waterproof
 - High Runtime (h): 4.25
 - Medium Runtime (h): 9.5
 - Low Runtime (h): 18.75
 - High Flood Runtime (h): 7.25
 - High Dual-Light Runtime (h): 7
 - Strobe: Yes
 - Strobe Runtime (h): 6
 - Charge Time (h): 4
 - Floodlight Color: White
 - Switch Function: First Body Switch & Tail Switch - Momentary or Constant-on Flashlight, High, Medium and Low-Brightness Flashlight, Strobe - Second Body Switch - Floodlight
 - Light Source: LED
 - Serialized: Y
 - Case Material: 6061-T6 Aluminum
 - Body Color: Black
 - Quantity of Batteries: 1
 - Power Source: Li-ion Rechargeable
 - Package Contents: Light, Anti-roll Ring, Rechargeable Lithium-ion Battery, DC Power Supply and Charger
 - US Patent(s) : 9713217
 - Warranty: Limited Lifetime Warranty

Dimensions:

- Length: 9.5 in (241 mm)
- Weight: 13.2 oz (374 g)
- Handle Diameter: 1.2 in (30 mm)
- Head Diameter: 1.6 in (41 mm)



