Help and Support
+385 1 6553 655
info@vatropromet.hr

Fire Container for Children Competition VP10

1001207

The Fire Container VP10 is used in firefighting competitions for children aged 6-12.

The Fire Container VP10 belongs to the category of fire extinguishers for extinguishing initial A and B class fires. It consists of a container with a lid into which the fire extinguishing agent (water) is poured, a pipe with a mouthpiece and a hand pump. The container is made of high-quality galvanized sheet, which is additionally protected from the outside with red color RAL 3000. This manufacturing method and the protective layer of paint enable a longer service life of the fire extinguisher container, regardless of the storage conditions.

HOW TO USE: Open the lid on the very top of the container and pour water into it. The tank capacity is 10 liters. After you have poured the liquid into the container, close the lid and use the hand pump to create pressure that ejects the extinguishing agent from the container. Point the hose that is connected to the tank of the fire container in the desired direction, and through the mouthpiece located at the top of the hose, the ejection of the fire extinguishing agent begins.

The fire container for children VP10 is used in firefighting competitions in such a way that the contestants have to fill the extinguisher with water as quickly as possible, and hit the target on the shooting stand.

OPTIONS OF APPLICATION:

The fire extinguisher container is mainly intended for localizing and extinguishing small forest fires, and it is also used for training fire departments and firefighting competitions.

CAUTION!
The VP10 fire container is not intended for extinguishing fires in electrical appliances.

Technical specifications

Type of extinguishing agent	water
Amount of extinguishing agent	10 lit.
Container Material	galvanized sheet
Color	red RAL 3000
Certified according to	DIN 14405


Vatropromet
Aparat za gašenje
vodom i pjenom tip-10 L


Vatropromet
Aparat za gašenje
vodom i pjenom tip-10 L





