

Firefighting vehicle Magirus TLF 2000

TLF-2000

Magirus TLF 2000 is a new generation of firefighting vehicle that simultaneously enables interventions in populated and non-populated areas. Due to its characteristics, this vehicle enables a quick response even on difficult-to-access terrain.

The Magirus TLF 2000 has a powerful chassis and four-wheel drive, allowing driving on unpaved and undeveloped roads. In this way, the fire crew (1+2) can approach much closer to the area affected by the fire than it would be possible to approach with a standard fire truck pumper.

The main characteristics of the Magirus TLF 2000:

- Powerful four-wheel drive chassis with outstanding features in the field
- Compact, swivel fire engine with a low center of gravity, with a total height below 2,700 mm
- Independent front suspension
- Customizable equipment space system, Magirus AluFire 3 combined with lightweight material to optimize payload.
- Optimal arrangement of water tanks for balanced weight distribution
- Magirus HMI control unit for easy and understandable operation between machine and human.
- Easily accessible and powerful fire extinguishing pump MPN 10-2000
- Continuous illumination of premises and equipment for uniform lighting
- Ergonomically optimized heights for extraction of fire extinguishing equipment
- Maximum loading space and payload for equipment.
- Additional space for additional loading equipment and personal firefighting equipment

Additional options:

- Hi-Matic automatic transmission
- High pressure pump
- Self-protection system (cab and/or whole vehicle only)
- Floor nozzles for both shafts
- Various configurations of water/foam thrower
- Magirus rear warning system (traffic warning system)
- Magirus RKL on cabin roof, LED, blue color with designer GFK trim
- Foam container
- Fast-paced winch
- Hygienic panel, including water and air connection
- Roofing crate for equipment
- Lighting pole
- Winch for self-redemption

* In order to equip the vehicle as well as possible according to your needs, there is a wide range of equipment and customization options for upgrades.

Technical specifications

- Chassis: 3.0 < GM ≤ 7.5 t - Iveco Daily 70S18 4x4 (Euro VI C)
- Weight of empty vehicle: 7000 kg
- Permitted total vehicle weight: up to 10,500 kg
- Wheelbase: 3,780 mm
- Dimensions (LxWxH): 6,200 x 2,250 x 2,650 mm
- Crew: 1+2
- Fire upgrade: Magirus AluFire3 - technology
- Centrifugal fire pump: Magirus FPN 10-2000
- Water tank: 2000 lit.



