

Flashlight Nightstick XPR-5568RX

1006317

The INTRANT® Intrinsically Safe Angle Light is a Flashlight, a Floodlight and a Dual-Light Angle Light that is cULus, ATEX, IECEx, and INMETRO certified Intrinsically Safe.

The INTRANTs flashlight rotates 90 degrees up and down with a 45 degree downward angled floodlight. The flashlight setting offers user-selectable brightness settings of 200, 110 and 60 Lumens with a 401 meter beam distance. The ultra-tight beam is perfect for cutting through smoke and lighting up objects at great distances. The floodlight setting has user-selectable brightness settings of 100, 40 and a “Survival Mode” of 20 lumens that provides just enough light in an emergency situation with a run-time of 27 hours.

The Dual-Light mode allows the user to simultaneously see objects at a distance or through the smoke, as well as see the ground in front of them as they walk or work. The INTRANT is powered by rechargeable Lithium-ion battery pack and includes a AA Battery Carrier to provide backup power if needed. The INTRANT is IP-67 Dustproof & Waterproof and meets requirements of NFPA-1971-8.6 (2013).

- LED technology
- cULus, ATEX, IECEx, and INMETRO certified Intrinsically Safe
- Flashlight / Floodlight / Dual-Light™
- 8 User-selectable brightness settings for the Flashlight and Floodlight including a 20 Lumen Survival Mode
- High-efficiency deep parabolic reflector creating a sharp focused flashlight beam
- Dual-light (both the flashlight & floodlight on at the same time) provides for maximum lighting versatility and user safety
- Glass-filled Nylon Polymer housing
- Dual body switches
- Heavy-duty stainless-steel pocket clip
- Battery charge status indicator (for use only with rechargeable battery)
- IP-67 Dustproof / Waterproof
- Impact & chemical resistant
- Meets requirements of NFPA-1971-8.6 (2013)
- Rechargeable Lithium-ion Battery (included)
- Serialized for personal identification
- Includes a AA Battery Carrier for backup power if needed
- Limited Lifetime Warranty

Technical specifications

- Dual-Light: Yes
- Multi-Function: Yes

- Flashlight Lumens: 200 / 110 / 60
- Floodlight Lumens: 100 / 40 / 20
- Dual-Light Lumens: 205
- Beam Distance: 401 m / 250 m / 187 m
- Candela: 40,256 / 15,625 / 8,750
- Drop Rating: 2 m
- Dust/Water Rating: ANSI IP-67 Dustproof / Waterproof
- Flashlight Runtime: 7 / 15 / 27 h
- Floodlight Runtime: 7 / 15 / 27 h
- Dual-Light Runtime: 7
- Charge Time: 4
- Floodlight Color: White
- Type of Floodlight: Solid
- Switch Function: Dual Body Switches - High/Medium/Low/Strobe Flashlight, High/Medium/Survival Floodlight, Dual-Light
- Length: 6.6 in (168 mm)
- Width: 2.6 in (66 mm)
- Depth: 2.6 in (66 mm)
- Weight: 10.6 oz (301 g)
- Head Diameter: 2.1 in (53 mm)
- Light Source: LED
- Case Material: Glass-filled nylon polymer
- Body Color: Red
- Quantity of Batteries: 1
- Power Source: Rechargeable Lithium-ion Battery (included)
- Package Contents: Light, Rechargeable Li-ion Battery, Charger, AA Battery Carrier, AC/DC Cords
- Warranty: Limited Lifetime



Datasheet - Nightstick XPR-5568RX



