

## Inflatable Tent ES-48 TL

100386

These tents are designed to be used in crisis situations, in which it is essential to ensure backgrounds and sufficient comfort for patient admission, medical treatment and hospitalization of the injured, staff, storage areas, etc. in field conditions.

The main advantage of the system is sufficient stability of the inflatable construction without usage of supporting metal or plastic components. The tents are made on the basis of pressurized double-room tube construction. The double-room system ensures sufficient stability in case of damage occurrence, thereby allowing the tents to be repaired.

The tent roof is made of lightweight material; therefore the tents offer easy handling and transportation. They have a universal width in order to create various shapes and variations of mobile working places.

This inflatable tent can be used by: Firefighters, Red Cross, Civil Protection, Military, Rescue Teams, etc.

### Technical data:

- Pressure in tube construction: 0,29 bar
- Can be inflated by a compressor or pressurized air bottles
- Large sleeves for air condition distribution (350 mm diameter), smaller sleeves for cables (150 mm diameter)
- Three-layer windows (mosquito net, transparent foil and semi translucent layer of the same material as the roof)
- Door sleeves with fasteners for connection to other tents
- A simple system of door closure which also stops water from leaking into the tent
- Anchoring system for stability in tough weather conditions
- Colour: red, orange, green, blue, yellow, white

## Technical specifications

### Dimensions of tent:

- Outside dimensions: 8.250 x 6.000 x 3.000 mm (l x w x h)
- Inside dimensions: 8.250 x 5.500 x 2.700 mm (l x w x h)
- Folded and packed: 1.400 x 1.350 x 900 mm (l x w x h)

### Weight:

- 
- 160 kg

**Inflation time:**

- Approx. 4 min.

**Basic equipment:**

- Hammer
- Sufficient amount of anchoring pegs
- Repair kit
- Waterproof transportation bag

