

Lifting Bag HLB 8

100183

High-pressure lifting bag, 12 bar / 174 psi system. Designed for maximum safety and control when lifting heavy objects. Offers 50% more lifting capacity: get more power out of your lifting bag or use a smaller and lighter model to get the job done.

Clear indication of safety warnings, technical specifications and lifting height:

- To help you work safer and easier

Center markings on all sides:

- To help you position a smaller bag onto a larger model

Non-slip surface with interlocking profile:

- To maximize the contact area and stability of inflated lifting bags

Reflective markings:

- For optimal visibility in the dark

Compliant with relevant safety standards:

- Meets EN 13731 and other legislative requirements

Technical specifications

Details		
Articlenumber	350.321.023	
Basic specifications		
model	HLB 8	
max. working pressure	12 / 1.2 (bar/Mpa)	174 psi
Performance		
max. lifting capacity	82 / 8.4 (kN/t)	18434 lbf
max. inflation height	179 mm	7 in
thickness incl. profile	22 mm	0.9 in

max. lifting capacity (12 bar/174 psi)	82 / 8.4 (kN/t)	18434 lbf
max. lifting capacity (8 bar/116 psi)	55 / 5.6 (kN/t)	12364 lbf
General specifications		
material	reinforced with 3 aramide inlays	
air content (8 bar/116 psi)		0.9 cu ft
Dimensions, weight and temperature		
weight, ready for use	2.1 kg	4.6 lb
dimensions (AxBxC)	335 x 295 x 22 mm	13.2 x 11.6 x 0.9 in
Norms		
EN-13731	Yes	

