



Powermoon Ledmoon 600 Balloon Light

1027021

The Powermoon® Ledmoon® 600 Balloon Light is used for emergency interventions, communal and construction works, firefighters, events and concerts, etc. Depending on the model, it illuminates the surface up to approx. 2000 m².

Ledmoon balloon lighting tower allows users to work comfortably due to diffused light that illuminates a larger work area, where workers can look from any position towards or directly into the light source.

Thanks to innovative POWERMOON® balloon light technology!

- Glare free light
- Powermoon® wind-resistant up to 100 km/h
- Patented, robust spring-screen mechanism
- With new, fast lock-in „Pull-Down“ solution
- Manufactured completely from anti-corrosion stainless steel and aluminium
- Bottom diffusion cover made of glare free spinnaker nylon with great light transmission
- Reflector-cover made from robust, durable fiberglass / aramide woven material
- IP54 protected, rain and water resistant (permanent outside use)

Thanks to LED technology !

- No frequency flickering
- No bulb breakage
- No cool down time
- Instant on/off
- Resistant to vibration and shock
- New LED technology without power-pack - plug in ready

Technical specifications

- Wattage: 600 W
- Voltage: 230 V / 50-60 Hz
- Current: 2,9 A / 230 V
- Type of protection: IP 54
- Light amount: ca. 75.000 Lumen
- Light color: 5500K, daylight quality, CRI >80
- Balloon weight: 12kg
- Ballon dimensions: D = 900mm H = 600mm
- Transport packaging: L = 1140mm x D = 250mm

- Minimum Generator Power (W): 700 Watt



LEDMOON[®] 600



